

06. 2010

možná dle celkového objemu a způsobu objednávky, na tel. 604 205 266 nebo na: info@secozvuk.cz

BASOVÉ A STŘEDOBASOVÉ

Průměr	18"								
Typ	SERIES	Power	FREQ.RANGE	MAGNET	Sensit.	Weight	Cena s DPH	Cena bez DPH	Cena v € bez DPH
						Kg			
21SW1600Nd	PROFES.	1600W AES	25 - 1200 Hz	Nd	98 dB	14,9	12 879	10 732	412,78
18SW1600Nd	PROFES.	1600W AES	25 - 1200 Hz	Nd	97 dB	13	10 211	8 509	323,55
18P1200Nd	PROFES.	1200W AES	25 - 2000 Hz	Nd	98 dB	10	8 134	6 778	255,78
18P1000Nd	PROFES.	1000W AES	25 - 2000 Hz	Nd	98 dB	9	6 895	5 746	213,59
18P1000Fe	PROFES.	1000W AES	25 - 2000 Hz	Ferr	98 dB	14,4	5 931	4 943	187,23
18G550	PROFES.	900W AES	25 - 1500 Hz	Ferr	98 dB	15,95	7 188	5 990	226,88
18P80Nd	PROFES.	800W AES	25 - 4000 Hz	Nd	100 dB	10	7 692	6 410	242,79
18G50	PROFES.	750W AES	25 - 1500 Hz	Ferr	98 dB	15,85	7 104	5 920	224,25
18G40	PROFES.	700W AES	25 - 1500 Hz	Ferr	97 dB	13	5 859	4 882	184,93
SM118/N	PROFES.	400W AES	30 - 3000 Hz	Ferr	97 dB	9,4	3 655	3 046	115,39
15"									
15SW1300Nd	PROFES.	1300W AES	25 - 1800 Hz	Nd	97dB	7,7	8 301	6 918	263,04
15P1200Nd	PROFES.	1200W AES	30 - 2000 Hz	Nd	97 dB	8,5	7 017	5 848	220,67
15 P1000Nd	PROFES.	1000W AES	30 - 2000 Hz	Nd	97 dB	7,1	6 198	5 165	192,02
15P1000Fe	PROFES.	1000W AES	30 - 2000 Hz	Ferr	97 dB	14	5 511	4 593	170,74
15P80Nd	PROFES.	800W AES	30 - 5000 Hz	Nd	100 dB	9	6 603	5 502	204,54
15G450N	PROFES.	750W AES	30 - 1500 Hz	Ferr	98 dB	13,4	5 969	4 974	184,90
15G40	PROFES.	700W AES	25 - 1500 Hz	Ferr	97 dB	11,5	5 064	4 220	156,89
SM115/K	PROFES.	500W AES	25 - 2000 Hz	Ferr	98 dB	11	4 332	3 610	134,21
15M100	PROFES.	450W AES	30 - 4000 Hz	Ferr	101 dB	8,6	4 081	3 401	126,43
15MWNd	PROFES.	400W AES	30 - 3500 Hz	Nd	99 dB	4,6	3 839	3 199	118,94
SM115/N	PROFES.	400W AES	30 - 3000 Hz	Ferr	98 dB	7,5	2 979	2 483	92,29
12"									
12SW1300ND	PROFES.	1300W AES	25 – 1800 Hz	Nd	96 dB	7,2	7 083	5 903	224,44
12P1000Nd	PROFES.	900W AES	30 - 2500 Hz	Nd	96 dB	6	5 439	4 532	168,49
12P80Nd	PROFES.	700W AES	25 – 4000 Hz	Nd	100 dB	5,6	0	0	
12G40	PROFES.	500W AES	35 - 4000 Hz	Ferr	97 dB	7,8	3 621	3 018	112,18
12M100	PROFES.	450W AES	40 - 4000 Hz	Ferr	100 dB	8	3 652	3 043	113,13
SM112/N	PROFES.	400W AES	35 - 4000 Hz	Ferr	97dB	6,05	2 461	2 051	76,23
SM112/W	PROFES.	400W AES	35 - 4000 Hz	Ferr	96 dB	6	3 110	2 592	96,35
12MWNd	PROFES.	350W AES	35 - 6000 Hz	Nd	97 dB	4	3 448	2 873	106,82
SM212	PROFES.	300W AES	45 - 6000 Hz	Ferr	98 dB	5,22	2 206	1 838	68,32
12B100/R	STUDIO	150W RMS	25 - 4000 Hz	Ferr	93.6 dB	8	3 909	3 257	121,08
12BR70	STUDIO	125W RMS	25 - 4000 Hz	Ferr	94.5 dB	4,15	1 783	1 486	55,25
10"									
10G40	PROFES.	400W AES	45 - 4000 Hz	Ferr	96 dB	6	2 873	2 394	89,01
10MW/ND	PROFES.	350W AES	45 - 7000 Hz	Nd	95 dB	3,6	3 172	2 643	98,27
10M100	PROFES.	350W AES	70 - 4000 Hz	Ferr	101 dB	7,5	3 492	2 910	108,17
SM110/N	PROFES.	200W AES	45 - 6500 Hz	Ferr	95 dB	4,9	1 887	1 573	58,47
10BR60	STUDIO	100W RMS	30 - 5000 Hz	Ferr	91.5 dB	3,7	1 593	1 328	49,36
8"									
8LW30	PROFES.	250W AES	65 - 6000 Hz	Nd	95 dB	2,55	2 747	2 289	85,10
8M100	PROFES.	250W AES	150 - 7000 Hz	Ferr	98 dB	3,3	1 815	1 512	56,22
8G40	PROFES.	250W AES	65 - 6000 Hz	Ferr	95 dB	3,8	2 283	1 902	70,72
SM108	PROFES.	150W AES	65 - 6000 Hz	Ferr	95 dB	3,35	1 579	1 316	48,91
8M70	STUDIO	90W RMS	120 - 9000 Hz	Ferr	95 dB	2,46	1 344	1 120	41,65
8WOOFER/P	STUDIO	50W RMS	30 - 3500 Hz	Ferr	92 dB	1,6	1 219	1 016	37,77
8BR40	STUDIO	50W RMS	35 - 6000 Hz	Ferr	90 dB	1,48	905	754	28,04

TYPE	SERIES	Power	FEQ.RANGE	MAGNET	Sensit.	Weight	Cena s DPH	Cena bez DPH	Cena v € bez DPH
	6"								
6M100	PROFES.	250W AES	150 - 6000 Hz	Ferr	97 dB	2,25	1 815	1 512	56,22
6P200Fe	PROFES.	200W AES	60 – 9000 Hz	Ferr	92 dB	3,2	1 986	1 655	61,54
6P200Nd	PROFES.	200W AES	60 - 9000 Hz	Nd	92 dB	1,96	2 595	2 163	80,39
6G40Nd	PROFES.	170W AES	70 - 9000 Hz	Nd	95 dB	1,8	1 785	1 488	55,30
605Nd	PROFES.	125W AES	150 - 8000 Hz	Nd	100 dB	2,4	2 453	2 044	75,98
6M190	PROFES.	125W AES	150 - 8000 Hz	Ferr	98 dB	2,4	1 473	1 227	45,63
6B30/P	STUDIO	50W RMS	50 - 12000 Hz	Ferr	90 dB	1,35	770	642	23,85
	5"								0,0

5G40Nd	PROFES.	100W AES	90 - 17000 Hz	Nd	93 dB	1,23	1 565	1 304	48,48
5M30	STUDIO	50W RMS	60 - 12000 Hz	Ferr	91 dB	1,16	815	679	25,26
5MP60/N	STUDIO	50W RMS	50 - 12000 Hz	Ferr	91 dB	1,2	927	773	28,72

COAXIÁLNÍ

TYPE	SERIES	Power	FREQ.RANGE	MAGNET	Sensit.	Weigh	Cena s DPH	Cena bez DPH	Cena v € bez DPH
15"									
15XA38Nd	PROFES.	350/90W AES	25 - 20000 Hz	Nd	9/105 dB	7,87	8 132	6 777	255,72
15KX	PROFES.	300/100W AES	25 - 17000 Hz	Ferr	9/105 dB	8,9	7 494	6 245	232,16
12"									
12XA30Nd	PROFES.	350/90W AES	35 - 20000 Hz	Nd	8/105 dB	7	7 271	6 060	228,66
12KX	PROFES.	300/100W AES	35 - 17000 Hz	Ferr	8/105 dB	8,3	6 744	5 620	208,94
12XC30	PROFES.	250/40W AES	45 - 20000 Hz	Ferr/Nd	8/105 dB	5,85	4 833	4 027	149,71
10"									
10XC25	PROFES.	250/40W AES	55 - 20000 Hz	Ferr/Nd	8/105 dB	5,4	4 493	3 744	139,17
8"									
8XC20	PROFES.	170/40W AES	65 - 20000 Hz	Ferr/Nd	8/105 dB	4,25	4 029	3 357	124,81
8BX	STUDIO	100/20W AES	25 - 20000 Hz	Ferr	2/102 dB	3,3	2 517	2 097	77,96
6"									
6CX200Nd	PROFES.	200/40W AES	60 - 20000 Hz	Nd	2/102 dB	1,9	4 383	3 652	135,78

COMPRESSION DRIVERS - TLAKOVÉ

TYPE	SERIES	Power	FREQ.RANGE	MAGNET	Sensit.	Weigh	Cena s DPH	Cena bez DPH	Cena v € bez DPH
Diameter 2 "									
CP750/Ti	PROFES.	70/90W AES (*)	0,6 - 20 kHz	Ferr	110 dB	7,3	5 559	4 632	170,30
CP850Nd	PROFES.	65W AES	0,5 - 20 kHz	Nd	112 dB	5	12 337	10 281	377,98
CP800/Ti	PROFES.	65W AES	0,5 - 20 kHz	Ferr	112 dB	10,3	8 525	7 104	261,18
CP750Nd	PROFES.	60/80W AES (*)	0,6 - 20 kHz	Nd	112 dB	3,75	8 883	7 402	272,15
Diameter 1,4 "									
CP755/Ti	PROFES.	90W AES	0,6 - 20 kHz	Ferr	110 dB	7	5 098	4 248	156,18
SMC65Nd	PROFES.	70W AES	0,6 - 20 kHz	Nd	108 dB	2,15	6 678	5 565	204,58
CP755Nd	PROFES.	60/90W AES (*)	0,6 - 20 kHz	Nd	112 dB	3,21	8 461	7 050	259,21
CP755Nd/Al	PROFES.	60/80W AES (*)	0,6 - 20 kHz	Nd	112 dB	3,21	8 461	7 050	259,21
SMC65	PROFES.	50/70W AES (*)	0,7k-18k	Ferr	107 dB	4,7	4 756	3 963	145,72
Diameter 1 "									
CP380/M	PROFES.	70W AES	0,8 - 20 kHz	Ferr	107 dB	3,3	2 706	2 255	82,89
CP350/Ti	PROFES.	70W AES	0,8 - 20 kHz	Ferr	104 dB	3,4	3 331	2 776	102,05
SMC1050/N	PROFES.	60W AES	0,8 - 18 kHz	Ferr	108 dB	3	2 059	1 716	63,09
SMC280ST	PROFES.	50W AES	0,8 - 18 kHz	Ferr	105 dB	1,4	1 456	1 213	44,59
CP385Nd	PROFES.	40/60W AES (*)	0,8 - 20 kHz	Nd	107 dB	1,45	3 653	3 044	111,93
SMC225Nd	PROFES.	40W AES	0,8 - 20 kHz	Nd	108 dB	0,792	2 482	2 068	73,86
CD10Fe	PROFES.	70W AES	0,7-19kHz	Ferr	109 dB	1,3	1 799	1 499	43,71
CD10Nd	PROFES.	70W AES	0,7-19kHz	Nd	111 dB	1,1	2 522	2 102	70,06
SMC1020	PROFES.	35W AES	1-20kHz	Ferr	104 dB		1 832	1 527	54,53
SMC8060	PROFES.	50W AES	1,8 - 18 kHz	Ferr	107 dB	1,57	1 881	1 567	55,97

PLEATED DIAPHRAGM TWEETERS

TYPE	SERIES	Power	FREQ.RANGE	MAGNET	Sensit.	Mat.	Weight	Cena s DPH	Cena bez DPH	Cena v € bez DPH
TPL 150	PROFES.	80W AES	1 - 29 kHz	Nd	99 dB	Kapton	3	9 204	7 669,66	285,12
TPL 150/H	PROFES.	80W AES	0,7k-23k	Nd	102 dB	Kapton	4,08	10 604	8 837,07	328,52

COMPRESSION TWEETERS

TYPE	SERIES	Power	FREQ.RANGE	MAGNET	Sensit.	Mat.	Weight	Cena s DPH	Cena bez DPH	Cena v € bez DPH
CP22	PROFES.	25W AES	4 - 20 kHz	Ferr	107 dB	Al	1,67	1 833	1 527,09	56,77
CP21/F	PROFES.	25W AES	3,5 - 20 kHz	Ferr	105 dB	Al	1,75	1 684	1 403,20	52,16
CP25	PROFES.	25W AES	2,5 - 20 kHz	Ferr	104 dB	Al	1,84	1 666	1 388,55	51,62
CP12/N	PROFES.	15W AES	3 - 20 kHz	Ferr	107 dB	Al	0,85	823	686,06	25,50
CP16	PROFES.	15W AES	3 - 20 kHz	Ferr	105 dB	Al	0,8	772	643,43	23,92
CP09	PROFES.	15W AES	2 - 20 kHz	Ferr	104 dB	Al	0,85	998	831,71	30,92

COMPRESSION DRIVERS WITH WAVE GUIDES

Diameter	TYPE	SERIES	POWER	FREQ.RANGE	MAGNET	Sensit.	Weight	Cena s DPH	Cena bez DPH	Cena v € bez DPH
	1,4							0		
	(2) WL5	PROFESSIONAL	70W AES	6 - 20 kHz	Nd	108 dB	2	7 739	6 449,41	239,75
	0,8							0		0,00
	(2) WL4	PROFESSIONAL	40W AES	7 - 20 kHz	Nd	105 dB	2,35	4 037	3 364,58	125,08
	(2) WL3	PROFESSIONAL	40W AES	7 - 20 kHz	Nd	105 dB	2,2	3 892	3 243,35	120,57

DOMES TWEETERS

TYPE	SERIES	Power	FREQ.RANGE	MAGNET	Sensit.	Disp.	Weight	Cena s DPH	Cena bez DPH	Cena v € bez DPH
MC115	STUDIO	25W RMS	0,6 – 12,5kHz	Ferr	91 dB	120°	1,33	1 091	909,42	33,81
T2030	STUDIO	15W RMS	1.5-20 kHz	Ferr	95 dB	60°	0,7	801	667,85	24,83
SMC2012/N	PROFES.	15W AES	1 - 20 kHz	Nd	101 dB	50°x 50°	0,6	831	692,28	25,74
T2010	STUDIO	12W RMS	1.5-20 kHz	Ferr	92 dB	80°	0,6	718	598,14	22,24